

ISRI 6830 KM/855 NTS Compact

The innovative seat concept

The NTS Compact is the seat for compact and medium class vehicles with the proven ISRI NTS air suspension technology.





NTS Compact ISRI 6830KM/855 NTS

ISRI 6830KM/870 NTS

Construction vehicle version ID Number: 813181-01



Communal vehicle version ID Number: 813376-01

Agricultural machine version ID Number: 813201-21



Applications

Agricultural and forestry wheeled tractors of category A, classes I, II and III, communal and construction vehicles.

Standards

| • ISO 5353 | SI point, low design |
|-------------------------------|---|
| • ISO 7096-2000 | Vibration of the machine operator, EM 1, 3-6, 8 and 9 |
| • 78/764 EWG Class I, II, III | Directive for tractor seats |
| • ISO 6683 | Earth moving machines, seat belts and anchorings |
| • ECE R14 N2 | Belt anchorage points (only in combination with vehicle inspection) |
| • SAE J 386 / SAE J 2292 | Belt, US standard |
| • FMVSS 302 | Flame resistance |
| | |

Information concerning the seat

ID Number: 813181-01 (2-point belt) ID Number: 813376-01 (3-point belt) ID Number: 813201-21 (with additional air tank) Standard upholstery: textile fabric Logo is optional and can be stamped or embroidered.

Seat program

| Equipment | 813181-01 | 813376-01 | 813201-21 |
|--|-----------|-------------|-----------|
| Weight adjustment (manually) | • | • | • |
| Height adjustment | • | • | • |
| Tilt adjustment | • | • | • |
| Length adjustment | • | • | • |
| Backrest adjustment | • | • | • |
| Foldable backrest | • | • | • |
| Backrest height (approx. in mm) | 554 | 815 | 815 |
| Belt fixing points (ECE R14) | • | • | • |
| Seat cushion adjustment | • | • | • |
| Pneumatic lumbar support (LWS) | • | • | |
| Pneumatic lumbar support and side bolster support (IPS) | | | • |
| Track dimension | 320 | 320 | 216 |
| Foldable and tilting armrests | О | 😑 left-hand | О |
| Headrest | | • | • |
| Belt system | 2-point | 3-point | 3-point |
| Mechanical suspension | | | |
| Air suspension (compressor 12 V) | • | • | • |
| Seat heating 12 V | О | • | • |

• Standard equipment Option


Product advantages

- Compact design
- Perfected seat ergonomics
- Reasonable arrangement of the operating elements
- High lateral and longitudinal stiffness
- Low lateral and longitudinal clearance of the seat

Seats for Special Vehicles and Construction Vehicles

ISRI 6830 KM/855 NTS Compact

Subject to technical modifications. Updated 01/2013



ISRINGHAUSEN GmbH & Co. KG ISRINGHAUSEN-Ring 58, 32657 Lemgo Germany Phone +49 (0) 5261 210-0, Fax +49 (0) 5261 210-310 info@isri.de, www.isri.de

